

SVP SERIES

Surface Vandal Proof Unit



Commercial grade shallow surface mounted vandal resistant fixture. For use in high abuse indoor applications such as schools and public buildings and any area where security is the primary consideration.

- The ultimate in vandal resistant enclosed security fixtures
- Virtually indestructible UV stabilized lens is .177" clear polycarbonate
- Lens has a pyramidal prism design on bottom and vertical perimeter rib for maximum light control and efficiency
- Fully gasketed to provide protection against dust, dirt, insects, moisture and other foreign dust particles
- Tamperproof screws are standard
- UL Listed for damp location

CONSTRUCTION

Housing is die-formed code gauge cold rolled steel. Finish is high reflectance baked white enamel. Injection molded, thick walled, clear prismatic diffuser is manufactured from high impact UV treated polycarbonate. Diffuser is held in place and secured with tamperproof stainless steel screws. Mounts over electrical junction box. Mounting holes are provided.

SIZE W x L x H in inches (mm)

8 1/4"W x 48.0"L x 4.5"Dp

The most economical, practical, and user friendly series of LED fixtures with energy savings, quality of light, long life and hassle-free maintenance/ EZLED fixtures are UL listed with the latest LED T8 bypass lamps. These fixtures provide over 44% energy savings over comparable fluorescent fixtures utilizing less expensive fixtures than the fluorescent version (no ballast required). The also provide the flexibility to change the wattage and color temperature at any time. Are you concerned about maintenance with an LED array and driver fixture? EZLED resolves that issue by utilizing a self-contained LED lamp that fits into your fixture just like the classic fluorescent tube. The fixture performance will evolve over time with the evolution of the T8 LED lamp technology, and our five-year warranty guarantees a reliable, high quality product.

Lamp Specifications

Our EZLED fixtures come standard with SaveGreen T8 LED lamps. They are available in 2 or 4 foot sizes in different wattage, lumens, and color temperature options (see lamp options and specifications at www.savegreenlighting.com).

- L70 > 50000 hrs.
- Operating temperature: -20°C to 50°C
- Color Temperature: 3500K, 4000K, 5000K
- G13 pins (same as fluorescent linear T8 bipin)
- AC100-277V
- Integral driver (non-isolated) eliminates the need for external driver or ballast
- Environmentally friendly, no mercury used
- UL Classified
- Min CRI 80
- 5 year warranty

Optional Dimming

The 4 foot lamps are available with a dimming option. Specially designed dimming lamps require an external driver that runs 1 or 2 lamps (more than 2 lamps require multiple external drivers).

Emergency Options

The standard EZLED lamps require an inverter or an all-in-one emergency kit that includes LED array, battery, and driver. Dimmable T8 LED with external driver works with standard LED EM in it.

ORDERING DATA

EXAMPLE: SVP117LEDL12W830LUN

SVP

Series	# Lamps	Lamp Type	Lamp Wattage	Color Temp	Lamp Brand	Options
SVP	1 1 Lamp	17 T8 24"	4 ft. LEDL12W 12.5 Watts 1750 Lumens Keystone	830 3000K	Blank House Brand Lamp (Savegreen)	WP 6' Whip, 3 Wire
	2 2 Lamps	24 T5HO 22"	LEDL15W 15 Watts 1850 Lumens Lunera	835 3500K	LUN Lunera Brand	
		32 T8 48"	LEDL15W 15 Watts 1740 Lumens	840 4000K	KEY Keystone Brand	
		54 T5HO 46"	LEDL18W* 18 Watts 2500 Lumens	850 5000K	JAM James Brand**	

*Premium lamp option

**Special Order



Dimensions and specifications subject to change without notice.

800-444-WATT ♦ www.mobern.com ♦
8200 Stayton Dr., Ste. 500, Jessup, MD 20794

CAT#	
JOB NAME	
TYPE	