

APPLICATIONS

This new Surface Flat Panel provides comfortable, abundant lighting from a very thin and modern design. Available in 1x4, 2x2 and 2x4 and dimmable with 0 to 10 Volt dimming. The panel is designed for T-Bar recessed mounting with ballast box on the top side of the panel. The panel can be chain or cable mounted with a high tech look with the thin panel profile and the visible driver box on top. The panel has an unobtrusive white edge. These panels are an ideal choice for many applications including offices, circulation spaces, retail and now popular in residential kitchens remodeled to give a skylight appearance.

FEATURES & BENEFITS

- ◆ Ultra thin LED panel light made from high-grade aluminum
- ◆ Environmentally friendly-mercury free
- ◆ Rated at 50,000 hrs of L70 LED life
- ◆ CRI >80
- ◆ 0-10 Volt dimmable 120-277V
- ◆ High efficacy and UV and IR Free
- ◆ RoHS Compliant
- ◆ 5 Year Warranty
- ◆ PF >99



SPECIFICATIONS

Housing is white aluminum that is sealed and Non-IC type fixture. Lens is evenly diffused frosted material. The driver is a Class 2 compliant design, featuring low voltage, limited power and is capable of 0-10V dimming as standard. Available in 40 or 50 input watts. Fixture is 80CRI minimum, multiple color temperatures, sizes and wattages are available. 5 year limited system warranty. Listed by and bears cULus label.

ORDERING DATA

EXAMPLE: WSFPMFPEL22-LED40DMV/WH40

WSFPMFPEL

Series	Size	Wattage/Lumens	Finish	Color Temp
WSFPMFPEL	14 1 x 4	<u>1x4 only</u>	WH White	40 4000K
Low profile	22 2 x 2	40 40 Watts 5000 Lumens		
welded surface	24 2 x 4	<u>2x2 only</u>		
flat panel		40 40 Watts 5000 Lumens		
		<u>2x4 only</u>		
		50 50 Watts 6250 Lumens		
	Gear		Driver	
	LED		DMV 120-277VAC	
			Dimming Multivolt	
			0-10V	

DIMENSIONS

Size	Dimensions
1x4	11.92"W x 48.00"L x 4.00"D
2x2	24.00"W x 24.00"L x 4.00"D
2x4	24.00"W x 48.00"L x 4.00"D

Dimensions and specifications subject to change without notice.



◆ 800-444-WATT ◆ www.mobern.com ◆
8200 Stayton Dr., Ste. 500, Jessup, MD 20794

CAT#	
JOB NAME	TYPE