



JOB NAME:

CAT#:

TYPE:

APPLICATIONS

This UFO style high bay fixture is perfect for institutional, retail, and commercial applications including: gymnasiums, factories, and warehouses.

FEATURES & BENEFITS

- Operating temperature -40°C to 55°C (-40°F to 131°F)
- Replaces 250W to 400W MH
- Hook or conduit pendant mountable
- Hook mount comes standard
- c_{UL}_{us} listed for wet locations
- 5 year warranty





With Sensor



Without Sensor

DIMENSIONS



Dimensions and specifications subject to change without notice.





JOB NAME:

CAT#:

TYPE:

DIMENSIONS



ORDERING

EXAMPLE: HBU LED 100 DMV WH 30 OS

HBU	LED			WH				
1. SERIES	2. GEAR	3. WATTAGE/LUMENS		4. DRIVER	5. FINISH	6. COLOR TEMP		7. SENSOR (O) ¹
HBU	LED	DMV		DMV	WH White	40 4000K	50 5000K	OS Occupancy Sensor
		100	100 Watts 14000 Lumens					
		180	180 Watts 25000 Lumens					
		DHV		DHV				
		90	90 Watts 13000 Lumens					
		140	140 Watts 20500 Lumens					
		*Lumens at 4000K						

Notes:

¹(O) is optional

Dimensions and specifications subject to change without notice.






JOB NAME:

CAT#:

TYPE:

PHOTOMETRICS



Dimensions and specifications subject to change without notice.

